


Book 10

Proposition 54

If an area is contained by a rational (straight-line) and a first binomial (straight-line) then the square-root of the area is the irrational (straight-line which is) called binomial.[†]



For let the area AC be contained by the rational (straight-line) AB and by the first binomial (straight-line) AD . I say that square-root of area AC is the irrational (straight-line which is) called binomial.

For since AD is a first binomial (straight-line), let it have been divided into its (component) terms at E , and let AE be the greater term. So, (it is) clear that AE and ED are rational (straight-lines which are) commensurable in square only, and that the square on AE is greater than (the square on) ED by the (square) on (some straight-line) commensurable (in length) with (AE), and that AE is commensurable (in length) with the rational (straight-line) AB (first) laid out [Def. 10.5]. So, let ED have been cut in half at point F . And since the square on AE is greater than (the square on) ED by the (square) on (some straight-line) commensurable (in length) with (AE), thus if a (rectangle) equal to the fourth part of the (square) on the lesser (term)—that is to say, the (square) on EF —falling short by a

square figure, is applied to the greater (term) AE , then it divides it into (terms which are) commensurable (in length) [Prop 10.17]. Therefore, let the (rectangle contained) by AG and GE , equal to the (square) on EF , have been applied to AE . AG is thus commensurable in length with EG . And let GH , EK , and FL have been drawn from (points) G , E , and F (respectively), parallel to either of AB or CD . And let the square SN , equal to the parallelogram AH , have been constructed, and (the square) NQ , equal to (the parallelogram) GK [Prop. 2.14]. And let MN be laid down so as to be straight-on to NO . RN is thus also straight-on to NP . And let the parallelogram SQ have been completed. SQ is thus a square [Prop. 10.53 lem.]. And since the (rectangle contained) by AG and GE is equal to the (square) on EF , thus as AG is to EF , so FE (is) to EG [Prop. 6.17]. And thus as AH (is) to EL , (so) EL (is) to KG [Prop. 6.1]. Thus, EL is the mean proportional to AH and GK . But, AH is equal to SN , and GK (is) equal to NQ . EL is thus the mean proportional to SN and NQ . And MR is also the mean proportional to the same—(namely), SN and NQ [Prop. 10.53 lem.]. EL is thus equal to MR . Hence, it is also equal to PO [Prop. 1.43]. And AH plus GK is equal to SN plus NQ . Thus, the whole of AC is equal to the whole of SQ —that is to say, to the square on MO . Thus, MO (is) the square-root of (area) AC . I say that MO is a binomial (straight-line).

For since AG is commensurable (in length) with GE , AE is also commensurable (in length) with each of AG

and GE [Prop. 10.15]. And AE was also assumed (to be) commensurable (in length) with AB . Thus, AG and GE are also commensurable (in length) with AB [Prop. 10.12]. And AB is rational. AG and GE are thus each also rational. Thus, AH and GK are each rational (areas), and AH is commensurable with GK [Prop. 10.19]. But, AH is equal to SN , and GK to NQ . SN and NQ —that is to say, the (squares) on MN and NO (respectively)—are thus also rational and commensurable. And since AE is incommensurable in length with ED , but AE is commensurable (in length) with AG , and DE (is) commensurable (in length) with EF , AG (is) thus also incommensurable (in length) with EF [Prop. 10.13]. Hence, AH is also incommensurable with EL [Props. 6.1, 10.1]. But, AH is equal to SN , and EL to MR . Thus, SN is also incommensurable with MR . But, as SN (is) to MR , (so) PN (is) to NR [Prop. 6.1]. PN is thus incommensurable (in length) with NR . And PN (is) equal to MN , and NR to NO . Thus, MN is incommensurable (in length) with NO . And the (square) on MN is commensurable with the (square) on NO , and each (is) rational. MN and NO are thus rational (straight-lines which are) commensurable in square only.

Thus, MO is (both) a binomial (straight-line) [Prop. 10.36], and the square-root of AC . (Which is) the very thing it was required to show.